


# S198D

## Complex Structure Metal Series

### INFORMATION ABOUT PRODUCT

|                               |                      |
|-------------------------------|----------------------|
| Minimum Space                 | 710x530x230 cm       |
| Impact Protection net         | 28,62 m <sup>2</sup> |
| Dimensions                    | 360x230cm            |
| Overall Height                | 230 cm               |
| Free falling height           | 60 cm                |
| Foundations                   | 16 pcs               |
| Availability of spare parts   | YES                  |
| Product complies with EN 1176 | YES                  |
| Age range                     | 1,5-14               |
| Amount of users               | 6                    |



### MATERIALS

- Posts (colored): Hot Dip Galvanized and powder coated Steel
- Posts (non - colored): Hot Dip Galvanized (plain) or Stainless Steel (304 / 316L)
- Floors: HPL Antiskid 12mm (EXT)
- Panels: HPL 12mm (EXT)
- Slide Side Panels / Panels that experience forces: HPL 18mm (EXT)
- Sliding Surface: GFRP (Glass Fiber Reinforced Polyester) t=4.5mm
- Metal Parts (colored): Hot Dip Galvanized and powder coated Steel
- Metal Parts (non - colored): Hot Dip Galvanized (plain) or Stainless Steel (304 / 316L)
- Steel Ropes apparatus: Steel core ropes braided with polypropylene (Ø16mm). Solid and aesthetic connectors made of injection molded durable plastic / end-connectors and sleeves made of durable aluminum alloy
- All other plastic elements: Fiber reinforced plastic
- Transparent Parts: Clear Polycarbonate material (t=5mm)
- Fasteners: Electroplated coated or Stainless Steel (304 / 316L)
- Chains: Hot Dip Galvanized (plain) or Stainless Steel (304 / 316L) / Ø6mm / According to DIN 766
- Step Modules: Manufactured of rotomoulded polyethylene develop process.



**Please note that the above list of materials concerns the articles of the whole series. Therefore, some of them are not used in the described article.**